

Bilaga D: Design av fendorar

[REDACTED]



[REDACTED] are a combination of [REDACTED] and fabricated [REDACTED] equipped with [REDACTED] to provide an [REDACTED] alternative to an [REDACTED]




[REDACTED] provides a [REDACTED] for the [REDACTED] of [REDACTED] in areas with [REDACTED]. These [REDACTED] are [REDACTED] - [REDACTED] units which are [REDACTED] and [REDACTED]





These [REDACTED] are the best option for [REDACTED] [REDACTED], [REDACTED] and [REDACTED] where [REDACTED] and [REDACTED] [REDACTED] are [REDACTED]

Key performance characteristics include:

- ▶ [REDACTED] and [REDACTED]
- ▶ With [REDACTED] at the [REDACTED] [REDACTED]
- ▶ [REDACTED] and easy [REDACTED]












[REDACTED] can be used as a [REDACTED], and [REDACTED] system with [REDACTED] and a [REDACTED] design at [REDACTED]

All [REDACTED] use [REDACTED] and a [REDACTED]
The [REDACTED] is a [REDACTED] of the [REDACTED], [REDACTED] to the [REDACTED]

The [REDACTED] is also very [REDACTED] on [REDACTED]. It will adjust to the [REDACTED]
[REDACTED] of the [REDACTED], will not [REDACTED]. [REDACTED] has very low [REDACTED]
which [REDACTED] in the [REDACTED] and [REDACTED]



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

The above values are [REDACTED] and by [REDACTED].

[REDACTED]

[REDACTED]

[REDACTED]

